



# MAIN PRODUCTS

## »»


### Carbon Steel

Carbon Steel Plate  
Carbon Steel Coil  
Carbon Steel Pipe  
Carbon Steel Round Bar  
Carbon Steel Rebar



### Galvanized Steel

Galvanized Steel Plate  
Galvanized Steel Coil  
Galvanized Steel Pipe  
Galvanized Corrugated Steel Plate



### Stainless Steel

Stainless Steel Plate  
Stainless Steel Coil  
Stainless Steel Pipe

### Color Coated Steel

PPGI/PPGL  
Color corrugated steel plate

C O N T E N T S



## OTHER PRODUCTS

»»

### Section Steel

Channel steel  
Angle Bar  
H-beam  
I-beam  
Steel Rail



### Aluminum

Aluminum Plate  
Aluminum Coil  
Aluminum Bar  
Aluminum Ingot



### Copper

Copper Plate  
Copper Coil  
Copper Bar

C O N T E N T S

# CARBON STEEL

## >>>

### Carbon Steel Plate

- **Standard:** ASTM A20/A20M,A36/A36MJIS G3115,DIN 17100,EN 10028,GB,etc
- **Material:** Q195,Q235,Q235b,Q345,A36,SS400
- **Width:** 500-2200mm,As Your Request
- **Thickness:** 0.2mm~300mm
- **Surface:** Clean, blasting and painting ,Decorative pattern or as client requirement



### Carbon Steel Coil

- **Standard:** ASTM,AISI,SUS,JIS,EN,DIN,BS,GB,etc
- **Material:** Q195, Q215,Q235,Q345,ST37,A36,45#,16Mn,SPHC,CGCC
- **Thickness:** Hot Rolled Thickness:2.75mm-100mm;Cold Rolled Thickness:0.2mm-3mm
- **Width:** 45mm-2200mm, As Your Request
- **Surface:** Bare,Black,Oiled,Shot Blasted,Spray Paint,Coated,etc
- **Coil ID:** 508-610mm or as per your request
- **Coil Weight:** 3~5 Tons or as per your request



### Carbon Steel Pipe

- **Material:** A36,A53,A106,A192,ST52,Q355,A210,T12,T11,P5,P9,P91,T22,A333,4140,5135 etc
- **Standard:** AISI,ASTM,JIS,GB,DIN,EN,SUS,etc
- **OD(round):** 8-1200mm or as request
- **Thickness:** 1-200mm or as request
- **Grade:** 1.7220,1.7336,1.2601,1.7380,1.7335,1.0033,1.0116 etc



### Carbon Steel Round Bar

- **Size:** O.D:8-480mm
- **Length:** 1-12m
- **Standard:** AISI,ASTM,GB,DIN,BS,JIS
- **Grade:** 12Cr1MoV,Cr5Mo,15CrMo,30CrMo,40CrMo,20SiMn,12Cr1MoVG,15CrMoG,42CrMo,20G
- **Surface Treatment:** Black Painted,PE Coated,Galvanized or Customized all available



## Carbon Steel Rebar

- **Material:** Q195,Q235,Q345;ASTM A53 GrA,GrB;STKM11,ST37,ST52,16Mn etc
- **Size:** 6mm,8mm,10mm,12mm,14mm,16mm,20mm,22mm,25mm,30mm,32mm,40mm
- **Length:** 6-12m or as request
- **Standard:** BS4449-2005,GB1449.2-2007,JIS G3112-2004,ASTM A615-A615M-04a
- **Grade:** Grade A,Grade B,Grade C



# STAINLESS STEEL

## »»

## Stainless Steel Plate

- **Standard:** AISI,ASTM,DIN,JIS,GB,JIS,SUS,EN,etc
- **Length:** As Required
- **Width:** 3mm-2000mm or as Required
- **Thickness:** 0.1mm-300mm or as Required
- **Surface Treatment:** NO.1, 2B, NO.4, 8K Mirror, Alloy Plate,or According to Customer Requiement
- **Material:** 201,202,304,304L,316,316L,317L,347H,310S,309S,430,904L,2205,2507,2101



## Stainless Steel Coil

- **Standard:** AISI,ASTM,DIN,JIS,GB,BS,JS,EN,etc
- **Length:** 500mm-3000mm
- **Width:** 500mm-6000mm or as Required
- **Duplex Steel:** 2101,2205,2507,2707
- **Thickness:** 0.1mm-150mm
- **Surface Treatment:** NO.1, 2B, NO.4. BA6K8K Mirror or According to Customer Requiement
- **Grade:** 200S,300S,304,304L,316,316L,400S,347H,310S,309S,430,904L,2205,2507,2101



## Stainless Steel Pipe

- **Standard:** AISIASTM,DIN,GB,EN,JIS,etc
- **Size:** Wall thickness: 1mm-150mm(SCH10-XXS);Outer diameter:6mm-2500mm(3/8"-100")
- **Duplex Steel:** 2101,2205,2507,2707Surface
- **Treatment:** Pickling finish,NO.1, 2B, Polish,Hairline,No.4,Colour Pipe,Mirror etc
- **Material:** 201202 304,304L316,316L 317L347H,310S,309S,430,904L,2205,2507,2101




# GALVANIZED STEEL



## Galvanized Steel Plate

- **Standard:** EN10346, JIS G3302, ASTM A653, AS 1397, GB/T 2518
- **Steel Grade:** Dx51D, Dx52D, Dx53D, DX54D, DX55D, DX56D, DX57D, S220GD, S250GD, S280GD, S320GD, S350GD, S390GD, S420GD, S450GD, S550GD, SG-CD4, SGC340, CS-A, CS-B, CS-C, grade33, grade37, grade40, grade50, grade60, grade70, grade80
- **Thickness:** 0.12mm-6.0mm or 0.8mm/1.0mm/1.2mm/1.5mm/2.0mm
- **Width:** 600mm-1800mm or 914mm/1000mm/1200mm/1219mm/1220mm/1524mm
- **Zinc Coating:** Z30g/m<sup>2</sup>-Z600g/m<sup>2</sup>
- **Surface Structure:** Normal spangle (N), spangle-free (FS), Zero Spangle



## Galvanized Steel Pipe

- **Standard:** EN10346, JIS G3302, ASTM A653, AS 1397, GB/T 2518
- **Steel Grade:** SPCC, SPCD, SPCE, ST12-15, DC01-06, Q195A-Q235A, Q195AF-Q235AF
- **Thickness:** 0.5-20mm
- **Zinc Coating:** Z30g/m<sup>2</sup>-Z600g/m<sup>2</sup>




## Galvanized Steel Coil

- **Standard:** EN10346, JIS G3302, ASTM A653, AS 1397, GB/T 2518
- **Steel Grade:** Dx51D, Dx52D, Dx53D, DX54D, DX55D, DX56D, DX57D, S220GD, S250GD, S280GD, S320GD
- **Thickness:** 0.12mm-6.0mm or 0.8mm/1.0mm/1.2mm/1.5mm/2.0mm
- **Width:** 600mm-1800mm or 914mm/1000mm/1200mm/1219mm/1220mm/1524mm
- **Zinc Coating:** Z30g/m<sup>2</sup>-Z600g/m<sup>2</sup>
- **Surface Structure:** Normal spangle (N), spangle-free (FS), Zero Spangle
- **Weight:** 3 Tons -8Tons



## Galvanized Corrugated Steel Plate

- **Standard:** JIS G3302, ASTM A653, EN10327/DIN 17162
- **Grade:** SGCC/CS-B/DX51D or equivalent
- **Types:** Commercial/Drawing/Deep Drawing/Structural Quality
- **Width:** 688/750/820/850/900/915
- **Thickness:** 0.12-2.5mm (0.14-0.5mm is the most advantage thickness)
- **Weight:** 2-3Ton Per Pallets



# COLOR COATED STEEL



## PPGI/PPGL

- **Standard:** PPGI: JIS G3303, GB/T 12754-1991; PPGL: ASTM A755/M, JIS G3322
- **Material:** DX51D, DX52D, S350GD, S550GD
- **Thickness:** 0.12-3.0 mm
- **Width:** 20-1500 mm, Normal width is 914/1000/1219/1250/1500 mm
- **Type of coating process:** Front: double coated & double drying; Back: double coated & double drying; single coated & double drying
- **Weight:** 3-12 tons



## Color Corrugated Steel Plate

- **Standard:** JIS G3302, ASTM A653, EN10327/DIN 17162
- **Grade:** SGCC/CS-B/DX51D or equivalent
- **Width:** 688/750/820/850/900/915
- **Thickness:** 0.12-2.5mm (0.14-0.5mm is the most advantage thickness)
- **Weight:** 2-3Ton Per Pallets



# SECTION STEEL

## Channel Steel

- **Length:** 1m-12m, or according to your requests
- **Standard:** GB ASTM, JIS, SUS, DIN, EN etc
- **Materials:** Q195, Q235B, Q345B, S235JR/S235/S355JR/S355, SS400/SS440, 304, 316, 316L, etc
- **Surface processing:** Galvanized, coated, punching or as your request



## Angle Bar

- **Length:** 6m-12m or according to your requests
- **Standard:** AISI, ASTM, BS, DIN, GB, JIS
- **Thickness:** 2-16mm or according to your requests
- **Dimensions:** 20\*20mm-200\*200mm & 25mm\*16mm-200mm\*125mm
- **Grade:** Q195-Q420, SS400-SS540, S235JR-S355JR, A36-A992, Gr50 etc



## H-Beam/I-Beam

- **Size:** 100mm\*68mm-900mm\*300mm
- **Length:** 1m-12m, or according to your requests
- **Standard:** GB ASTM, JIS, SUS, DIN, EN etc
- **Material:** Q235B, Q345B, Q420C, Q460C, SS400, SS540, S235, S275, S355, S235JR, S235, S355JR, S355A3, A572, G50, G60
- **Surface:** Oiled, sand blasting, galvanizing, painting, cutting as your request



## Steel Rail

- **Standard:** AISI, ASTM, BS, DIN, GB, JIS
- **Grade:** 50Mn/U71Mn
- **Length:** 12.5-25m
- **Weight:** 44.653kg/m
- **Web Thickness:** 14.5mm




# COPPER

»»

## Copper Plate

- **Standard:** ASTM, AISI, JIS, DIN, GB, EN
- **Grade:** C10100, C11000, C12000, C14200, C14420, C14500, C17200, C19200, C21000, T1, T2, T3, TU1, TU0, TU2, TP1
- **Temper:** O-H112; T3-T8; T351-T851
- **Thickness:** 0.3mm-100mm
- **Width:** 50mm-2500mm
- **Length:** 1000mm-12000mm



## Copper Tube

- **Material:** C1220, C12000, C10200, T1, T2, T3, TP2, TU1, TU2, TU3, H62, H65, H70, etc
- **Standard:** GB/T17791-2007, ASTM B280, EN12735, AS1571, JIS H3300, etc
- **Model Number:** 3/16", 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1" copper tube
- **OD:** 3/16", 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1" or Customized
- **Length:** 15m/roll, 50m/roll or customized
- **Hardness:** 1/16 hard, 1/8 hard, 3/8 hard, 1/4 hard, 1/2 hard, full hard



# ALUMINUM

## >>

### Aluminum Plate

- **Standard:** ASTM AISI JIS DIN GB
- **Surface:** Coated, Embossed, Brushed, polished, Anodized, etc
- **Grade:** 1050/1100/2024/3003/5052/5754/5083/6061/6063/7075
- **Temper:** O, H14, H24, H32, H112, T4, T651 Etc
- **Thickness:** 0.3mm-300mm
- **Width:** 100mm-2600mm
- **Length:** 1000mm-12000mm



### Aluminum Coil

- **Length:** 1000-11800mm or as required
- **Width:** 600-2000mm
- **Thickness:** 0.13-1.0mm
- **Finish Treatment:** Mill Finish, Coated, Polished, as You Request
- **Grade:** 1100, 1050, 1060, 3003, 3004, 3005, 3104, 3105, 5005, 5052, 5754 etc



### Aluminum Bar

- **Standard:** ASTM, AISI, JIS, DIN, GB
- **Grade:** 1000/2000/3000/5000/6000/7000
- **Material:** Aluminum Alloy
- **Thickness:** 0.1~200mm or as required
- **Width:** 0.1-20mm or as required
- **Type:** OEM Aluminum Extrusions Profiles
- **Temper:** T3-T8



### Aluminum Ingot

- **Grade:** Al99.90/Al99.85/Al99.70/Al99.60/Al99.50/Al99.00/Al99.7E/Al99.6E
- **Weight:** 20/25kg
- **Density:** 2.7103g/cm<sup>3</sup>
- **Thickness:** 0.5-200mm
- **Width:** 100-2000mm



# CERTIFICATE OF HONOR

»»



**Shanghai Dongransheng Technology Co.,Ltd.**

